STATE CONSERVATION COMMISSION APPLICATION FOR STATE COST-SHARE ASSISTANCE IN WATERSHED DAM CONSTRUCTION

INSTRUCTION FOR SCC-WDCP FORM 01

The following instruction will assist in the completion of the application form found on page 3-3-1 through 3-3-4 of the District and Contracting Officer Handbook. All forms may be copied but please use one side of paper only.

Section 1. Complete legal name of district and mailing address to receive all correspondence pertaining to the application.

Section 2 through 8 Self-explanatory.

Section 9. Engineers estimated construction and engineering costs for the project.

Section 10. The Commission's policy authorizes cost-share up to 70% of the cost of construction plus the actual costs of engineering's, geologic investigations and inspection costs not to exceed 10% of the actual cost of construction. The maximum cost-share per district per year is \$120,000.

Section 11. List all anticipated sources and amounts of funds to be used for the project other than state funds.

Section 12. The benefits of the structure are important justification for the structure. Be through and realistic in listing the benefits.

Section 13. An attachment shall contain the district's explanation of procedures to address concerns expressed in the Environmental Coordination Act (ECA) review process.

Section 14. Self-explanatory.

Section 15. Complete all information and signatures as requested.

Section 16. The application must be authorized by the Board of Directors. Complete the information as requested.

Section 17. Include all attachments with the application:

No. 1- Land Treatment Practices above site.

This information is available from the Conservation District. Use the format prescribed by the Commission.

- No. 2- Benefit to cost ration, calculations and substantiation: Complete this sheet with information as requested and attach substantiation of benefits. (Page 3-1-2, paragraph 3e of Guidelines)
- No. 3-Aerial Photograph of site, drainage area and downstream benefit area:

 Aerial photographs are a must as the Commission to the site. Photos should be no larger than 8 ½ x 11 or folded to this size for filing purposes.

 More than one photo should be keyed for the purpose of fitting together for an overall view of project. Most areas of the state have been photographed either by the ASCS or by the county for reappraisal.

In addition to photographs, other types of maps maybe submitted such as quadrangle maps, benefit area map from general plans or others that may be of value to reviewers.

- No. 4-Explanation of procedures to address concerns expressed in the Environmental Coordination Act (ECA) review process.
- Section 18. The original application is due no later than April 1st to be eligible for inclusion in the budget request for the next fiscal year.

APPLICATION STATE COST-SHARE ASSISTANCE FOR		nitted By:	Dist. No	SCC-WDCP FORM 1 03/06 Rev.
WATERSHED DAM CONSTRUCTION				_
MAIL TO: State Conservation Commission 109 SW 9 th Street Suite 500 Topeka, KS 66612-1215 2. Structure 3. Date per a. Permi		e No mit issued: it to construct ermit	adopted by Board on	
5. Description of site: a. Legal b. County c. Drainage (acres)			6. Structure size: a. Cubic yards b. Height (ft.)	
7. Size of Sediment Pool: a. Volume (acre-feet) b. Surface (acres)			8. Size of Detention Poo a. Volume (acre-feet)_ b. Surface (acres)	
9. Estimated costs: a. Construction \$ b. Engineering \$ c. TOTAL \$		10. State cost-share assistance requested: a. Construction \$ (Maximum 70%) b. Engineering \$ (Maximum 10% of 9a) c. TOTAL \$ (Maximum assistance-\$120,000 per district.)		
11. Sources of funds othe	r than st	ate assistance	e:	
a	\$		b	\$
c	\$		d	\$
			unty roads, bridges, utilitie Use additional pages if nec Explanation of Benefits	

APPLICATION STATE COST-SHARE ASSISTANCE FOR WATERSHED DAM CONSTRUCTION 13. The explanation of procedures to address concerns expressed in the Environmental Coordination Act (ECA) review process is attached. 14. The district will: a. Itself, or has contractual agreement with responsible parties to, operate the structure in a manner satisfactory to the Chief Engineer, Division of Water resources, State board of Agriculture. b. Maintain the structure in a safe and functional condition for the life of the structure. c. Perform an annual inspection and send copy of inspection to the State Conservation Commission. d. Perform necessary maintenance at district expense. 15. The officers signing this application on behalf of the board of directors of the district certify that the information and statements in the application are true and correct. By President Dist. No. Attest Date Secretary 16. This action authorized at an official meeting of the Board of Directors on , 20, and is properly recorded in the district minutes of that date. Attest Secretary 17. Attachments- A complete application must include the following attachments: No. 1- Land treatment Practices above Site. No. 2- Benefit to Cost ratio, Calculations and Substantiation. No. 3- Aerial Photograph and 7.5 min. Quad maps of Site and Primary Benefit Area. No. 4- Environmental Coordination Act (ECA) Response.			
ASSISTANCE FOR WATERSHED DAMC CONSTRUCTION 13. The explanation of procedures to address concerns expressed in the Environmental Coordination Act (ECA) review process is attached. 14. The district will: a. Itself, or has contractual agreement with responsible parties to, operate the structure in a manner satisfactory to the Chief Engineer, Division of Water resources, State board of Agriculture. b. Maintain the structure in a safe and functional condition for the life of the structure. c. Perform an annual inspection and send copy of inspection to the State Conservation Commission. d. Perform necessary maintenance at district expense. 15. The officers signing this application on behalf of the board of directors of the district certify that the information and statements in the application are true and correct. By President Dist. No. Attest Date Secretary 16. This action authorized at an official meeting of the Board of Directors on and is properly recorded in the district expense. 17. Attachments- A complete application must include the following attachments: No. 1- Land treatment Practices above Site. No. 2- Benefit to Cost ratio, Calculations and Substantiation. No. 3- Aerial Photograph and 7.5 min. Quad maps of Site and Primary Benefit Area. No. 4- Environmental Coordination Act (ECA) Response.	APPLICATION	1.Submitted By:	SCC-WDCP
WATERSHED DAM Structure No. (Cont'd) CONSTRUCTION 13. The explanation of procedures to address concerns expressed in the Environmental Coordination Act (ECA) review process is attached. 14. The district will: a. Itself, or has contractual agreement with responsible parties to, operate the structure in a manner satisfactory to the Chief Engineer, Division of Water resources, State board of Agriculture. b. Maintain the structure in a safe and functional condition for the life of the structure. c. Perform an annual inspection and send copy of inspection to the State Conservation Commission. d. Perform necessary maintenance at district expense. 15. The officers signing this application on behalf of the board of directors of the district certify that the information and statements in the application are true and correct. By President Dist. No. Attest Date Secretary 16. This action authorized at an official meeting of the Board of Directors on			FORM 1
13. The explanation of procedures to address concerns expressed in the Environmental Coordination Act (ECA) review process is attached. 14. The district will: a. Itself, or has contractual agreement with responsible parties to, operate the structure in a manner satisfactory to the Chief Engineer, Division of Water resources, State board of Agriculture. b. Maintain the structure in a safe and functional condition for the life of the structure. c. Perform an annual inspection and send copy of inspection to the State Conservation Commission. d. Perform necessary maintenance at district expense. 15. The officers signing this application on behalf of the board of directors of the district certify that the information and statements in the application are true and correct. By President Dist. No. Attest Date Secretary 16. This action authorized at an official meeting of the Board of Directors on minutes of that date. Attest Secretary 17. Attachments- A complete application must include the following attachments: No. 1- Land treatment Practices above Site. No. 2- Benefit to Cost ratio, Calculations and Substantiation. No. 3- Aerial Photograph and 7.5 min. Quad maps of Site and Primary Benefit Area. No. 4- Environmental Coordination Act (ECA) Response.		Dist. No	03/06 Rev.
13. The explanation of procedures to address concerns expressed in the Environmental Coordination Act (ECA) review process is attached. 14. The district will: a. Itself, or has contractual agreement with responsible parties to, operate the structure in a manner satisfactory to the Chief Engineer, Division of Water resources, State board of Agriculture. b. Maintain the structure in a safe and functional condition for the life of the structure. c. Perform an annual inspection and send copy of inspection to the State Conservation Commission. d. Perform necessary maintenance at district expense. 15. The officers signing this application on behalf of the board of directors of the district certify that the information and statements in the application are true and correct. By President Dist. No. Attest Secretary 16. This action authorized at an official meeting of the Board of Directors on and is properly recorded in the district minutes of that date. Attest Secretary 17. Attachments- A complete application must include the following attachments: No. 1- Land treatment Practices above Site. No. 2- Benefit to Cost ratio, Calculations and Substantiation. No. 3- Acrial Photograph and 7.5 min. Quad maps of Site and Primary Benefit Area. No. 4- Environmental Coordination Act (ECA) Response.	· ·	Structure No	(Cont'd)
Coordination Act (ECA) review process is attached. 14. The district will: a. Itself, or has contractual agreement with responsible parties to, operate the structure in a manner satisfactory to the Chief Engineer, Division of Water resources, State board of Agriculture. b. Maintain the structure in a safe and functional condition for the life of the structure. c. Perform an annual inspection and send copy of inspection to the State Conservation Commission. d. Perform necessary maintenance at district expense. 15. The officers signing this application on behalf of the board of directors of the district certify that the information and statements in the application are true and correct. By President Dist. No. Attest Date Secretary 16. This action authorized at an official meeting of the Board of Directors on and is properly recorded in the district minutes of that date. Attest Secretary 17. Attachments- A complete application must include the following attachments: No. 1- Land treatment Practices above Site. No. 2- Benefit to Cost ratio, Calculations and Substantiation. No. 3- Acrial Photograph and 7.5 min. Quad maps of Site and Primary Benefit Area. No. 4- Environmental Coordination Act (ECA) Response.			the Euripean antel
14. The district will: a. Itself, or has contractual agreement with responsible parties to, operate the structure in a manner satisfactory to the Chief Engineer, Division of Water resources, State board of Agriculture. b. Maintain the structure in a safe and functional condition for the life of the structure. c. Perform an annual inspection and send copy of inspection to the State Conservation Commission. d. Perform necessary maintenance at district expense. 15. The officers signing this application on behalf of the board of directors of the district certify that the information and statements in the application are true and correct. By President Dist. No. Attest Date Secretary 16. This action authorized at an official meeting of the Board of Directors on 20 , and is properly recorded in the district minutes of that date. Attest Secretary 17. Attachments- A complete application must include the following attachments: No. 1- Land treatment Practices above Site. No. 2- Benefit to Cost ratio, Calculations and Substantiation. No. 3- Aerial Photograph and 7.5 min. Quad maps of Site and Primary Benefit Area. No. 4- Environmental Coordination Act (ECA) Response.			ine Environmentai
a. Itself, or has contractual agreement with responsible parties to, operate the structure in a manner satisfactory to the Chief Engineer, Division of Water resources, State board of Agriculture. b. Maintain the structure in a safe and functional condition for the life of the structure. c. Perform an annual inspection and send copy of inspection to the State Conservation Commission. d. Perform necessary maintenance at district expense. 15. The officers signing this application on behalf of the board of directors of the district certify that the information and statements in the application are true and correct. By President Dist. No. Attest Date Secretary 16. This action authorized at an official meeting of the Board of Directors on and is properly recorded in the district minutes of that date. Attest Secretary 17. Attachments- A complete application must include the following attachments: No. 1- Land treatment Practices above Site. No. 2- Benefit to Cost ratio, Calculations and Substantiation. No. 3- Aerial Photograph and 7.5 min. Quad maps of Site and Primary Benefit Area. No. 4- Environmental Coordination Act (ECA) Response.	`	A) review process is attached.	
c. Perform an annual inspection and send copy of inspection to the State Conservation Commission. d. Perform necessary maintenance at district expense. 15. The officers signing this application on behalf of the board of directors of the district certify that the information and statements in the application are true and correct. By President Dist. No. Attest Date Secretary 16. This action authorized at an official meeting of the Board of Directors on nainutes of that date. Attest Secretary 17. Attachments- A complete application must include the following attachments: No. 1- Land treatment Practices above Site. No. 2- Benefit to Cost ratio, Calculations and Substantiation. No. 3- Aerial Photograph and 7.5 min. Quad maps of Site and Primary Benefit Area. No. 4- Environmental Coordination Act (ECA) Response.	a. Itself, or has contra manner satisfactory		
Commission. d. Perform necessary maintenance at district expense. 15. The officers signing this application on behalf of the board of directors of the district certify that the information and statements in the application are true and correct. By President Dist. No. Attest Date Secretary 16. This action authorized at an official meeting of the Board of Directors on 20 and is properly recorded in the district minutes of that date. Attest Secretary 17. Attachments- A complete application must include the following attachments: No. 1- Land treatment Practices above Site. No. 2- Benefit to Cost ratio, Calculations and Substantiation. No. 3- Aerial Photograph and 7.5 min. Quad maps of Site and Primary Benefit Area. No. 4- Environmental Coordination Act (ECA) Response.	b. Maintain the struct	ure in a safe and functional condition for th	e life of the structure.
15. The officers signing this application on behalf of the board of directors of the district certify that the information and statements in the application are true and correct. By President Dist. No. Attest Date Secretary 16. This action authorized at an official meeting of the Board of Directors on 20, and is properly recorded in the district minutes of that date. Attest Secretary 17. Attachments- A complete application must include the following attachments: No. 1- Land treatment Practices above Site. No. 2- Benefit to Cost ratio, Calculations and Substantiation. No. 3- Aerial Photograph and 7.5 min. Quad maps of Site and Primary Benefit Area. No. 4- Environmental Coordination Act (ECA) Response.		inspection and send copy of inspection to the	ne State Conservation
that the information and statements in the application are true and correct. By	d. Perform necessary	maintenance at district expense.	
Attest		nd statements in the application are true and	d correct.
Attest		By	
Attest			resident
16. This action authorized at an official meeting of the Board of Directors on		Dist. No	
16. This action authorized at an official meeting of the Board of Directors on	Attest	Date	
16. This action authorized at an official meeting of the Board of Directors on	Secretar	у	
			ectors on
Secretary 17. Attachments- A complete application must include the following attachments: No. 1- Land treatment Practices above Site. No. 2- Benefit to Cost ratio, Calculations and Substantiation. No. 3- Aerial Photograph and 7.5 min. Quad maps of Site and Primary Benefit Area. No. 4- Environmental Coordination Act (ECA) Response.		, 20, and is properly	recorded in the district
Secretary 17. Attachments- A complete application must include the following attachments: No. 1- Land treatment Practices above Site. No. 2- Benefit to Cost ratio, Calculations and Substantiation. No. 3- Aerial Photograph and 7.5 min. Quad maps of Site and Primary Benefit Area. No. 4- Environmental Coordination Act (ECA) Response.	minutes of that date.		
Secretary 17. Attachments- A complete application must include the following attachments: No. 1- Land treatment Practices above Site. No. 2- Benefit to Cost ratio, Calculations and Substantiation. No. 3- Aerial Photograph and 7.5 min. Quad maps of Site and Primary Benefit Area. No. 4- Environmental Coordination Act (ECA) Response.			
 17. Attachments- A complete application must include the following attachments: No. 1- Land treatment Practices above Site. No. 2- Benefit to Cost ratio, Calculations and Substantiation. No. 3- Aerial Photograph and 7.5 min. Quad maps of Site and Primary Benefit Area. No. 4- Environmental Coordination Act (ECA) Response. 	Attest	C	
No. 1- Land treatment Practices above Site. No. 2- Benefit to Cost ratio, Calculations and Substantiation. No. 3- Aerial Photograph and 7.5 min. Quad maps of Site and Primary Benefit Area. No. 4- Environmental Coordination Act (ECA) Response.		Secretary	
No. 1- Land treatment Practices above Site. No. 2- Benefit to Cost ratio, Calculations and Substantiation. No. 3- Aerial Photograph and 7.5 min. Quad maps of Site and Primary Benefit Area. No. 4- Environmental Coordination Act (ECA) Response.	17 Attachments- A comr	plete application must include the following	attachments:
No. 3- Aerial Photograph and 7.5 min. Quad maps of Site and Primary Benefit Area. No. 4- Environmental Coordination Act (ECA) Response.			, ••••••
No. 4- Environmental Coordination Act (ECA) Response.	No. 2- Benefit to Cos	t ratio, Calculations and Substantiation.	
	No. 3- Aerial Photogr	raph and 7.5 min. Quad maps of Site and Pr	imary Benefit Area.
18. Submit original to the State Conservation Commission no later than April 1 st .	No. 4- Environmental	Coordination Act (ECA) Response.	
	18. Submit original to the	State Conservation Commission no later th	nan April 1 st .

ATTACHMENT 1 WATERSHED DAM CONSTRUCTION PROGRAM APPLICATION FOR ASSISTANCE

	DISTRICT	SITE NO.:	
LAND TI	REATMENT ABO	VE SITE	
TOTAL DRAINAGE (acres):			

LANDOWNER & LEGAL DESCRIPTION	LAND USE	TOTAL ACRES	ACRES TREATED/PROTECTED	PERCENT PROTECTED
TOTALS				

Prepared by:	
	County Conservation Distric

SCC-WDCP INSTRUCTIONS- FORMS 1A Rev Mar 2006

BENEFIT TO COST RATIO

ATTACHMENT NO. 2 TO APPLICATION FOR STATE ASSISTANCE IN WATERSHED DAM CONSTRUCTION

1. Site No.:	2. Benefit-Cost Ratio:	
3. Date of Termination:		
4. Determination Made by:		
	Name	
	Address	
_	Telephone No.	

5. Factors and computation used in determination of benefit-cost ration are listed below or separate sheet is attached: